





FLEXIBLE METAL HOSE SERIES



012101



012201

Application: Metal flex without PE to connect geysers, cookers, boilers

Size: F1/2" x M1/2", F3/4" x M3/4", F1" x M1" (012101)
F1/2" x F1/2", F3/4" x F3/4", F1" x F1" (012201)

Material: AISI316L / AISI304 / AISI201 hose body, brass nickle nuts

Length: 75-150mm / 130-220mm.....1500 / 3000mm (with stretch)



012102



012202

Application: Metal flex without PE to connect geysers, cookers, boilers

Size: F1/2" x M1/2", F3/4" x M3/4", F1" x M1", F1.1/4" x F1.1/4" (012102)
F1/2" x F1/2", F3/4" x F3/4", F1" x F1", F1.1/4" x F1.1/4" (012202)

Material: AISI316L / AISI304 / AISI201 hose body, brass nickle nuts

Length: 75-150mm / 130-220mm.....1500 / 3000mm (with stretch)



012103



012203

Application: Metal flex without PE to connect geysers, cookers, boilers

Size: F1/2" x M1/2", F3/4" x M3/4", F1" x M1" (012103)
F1/2" x F1/2", F3/4" x F3/4", F1" x F1" (012203)

Material: AISI316L / AISI304 / AISI201 hose body, brass nickle nuts

Length: 75-150mm / 130-220mm.....1500 / 2500mm (with stretch)



012104



012204

Application: Metal flex without PE to connect geysers, cookers, boilers

Size: F1/2" x M1/2" (012104)
F1/2" x F1/2" (012204)

Material: AISI316L / AISI304 / AISI201 hose body, brass nickle nuts

Length: 75-150mm / 130-220mm.....1500 / 3000mm (with stretch)



012105



012205

Application: Metal flex without PE to connect geysers, cookers, boilers

Size: F1/2" x M1/2", F3/4" x M3/4", F1" x M1" (012105)
F1/2" x F1/2", F3/4" x F3/4", F1" x F1" (012205)

Material: AISI316L / AISI304 / AISI201 hose body, brass nickle nuts

Length: 75-150mm / 130-220mm.....1500 / 3000mm (with stretch)



012106



012206

Application: Metal flex without PE to connect geysers, cookers, boilers

Size: F3/4" x M1/2" (012106)
F3/4" x F3/4" (012206)

Material: AISI316L / AISI304 / AISI201 hose body, brass nickle nuts

Length: 75-150mm / 130-220mm.....1500 / 3000mm (with stretch)



012107



012207

Application: Metal flex without PE to connect geysers, cookers, boilers

Size: F1/2" x M1/2", F3/4" x M3/4", F1" x M1" (012107)
F1/2" x F1/2", F3/4" x F3/4", F1" x F1" (012207)

Material: AISI316L / AISI304 / AISI201 hose body, brass nickle nuts

Length: 75-130mm / 130-200mm.....1500 / 2500mm (with stretch)



012108



012208

Application: Metal flex without PE to connect geysers, cookers, boilers

Size: F1/2" x M1/2" (012108)
F1/2" x F1/2" (012208)

Material: AISI316L / AISI304 / AISI201 hose body, brass nickle nuts

Length: 75mm/130mm/220mm/300mm.....1500mm (without stretch)



012109



012209

Application: Metal flex without PE to connect geysers, cookers, boilers

Size: F24*1.5 x M24*1.5 (012109)
F24*1.5 x F24 *1.5 (012209)

Material: AISI316L / AISI304 / AISI201 hose body, AISI304 nuts

Length: 75mm/130mm/220mm/300mm.....1500mm (without stretch)



012110



012210

Application: Metal flex to connect boiler, water heater, toilet

Size: F1/2" x M1/2", F3/4" x M3/4", F3/4" x M1/2" (012110)
F1/2" x F1/2", F3/4" x F3/4", (012210)

Material: Copper hose with chrome, brass chrome nuts

Length: 30/40/50/60cm.....(fixed length without stretch)



012111



012211

Application: Metal flex without PE to connect toilet

Size: F1/2" x F1/2", F3/4" x M3/4" (012111)
F1/2" x F1/2", F3/4" x F3/4" (012211)

Material: AISI316L / AISI304 / AISI201 hose body, brass chrome nuts

Length: 30/40/505000cm (fixed length without stretch)



012112A



012112B

Application: Metal flex for faucet connect

Size: F3/8" * M10 x1 (012112A)
F3/8" * M10 x1 (012112B)

Material: AISI304 hose body, brass nickle nuts

Length: 30/40/50 (fixed length)



012213



012113

Application: Metal flex without PE to connect geysers, boilers

Size: F1/2" x F1/2", F3/4" x F3/4" (012213)
F1/2" x M1/2", F3/4" x M3/4" (012113)

Material: AISI201 hose body, AISI201 fittings or iron fittings

Length: 30/40/50.....5000cm (fixed length without stretch)



012214A



012214B

Application: Metal flex without compress to connect cold & hot water

Size: F1/2" x F1/2" (012214A)
F1/2" x M18*1 (012214B)

Material: AISI304 hose body, brass nickle nuts

Length: 30/40/50.....5000cm (without stretch)



012215A



012115B

Application: Metal flex to connect cold & hot water

Size: F1/2" x F1/2" (012215A)
F1/2" x F1/2" (012115B)

Material: AISI304 hose body, brass chrome nuts

Length: 30/40/50cm..... (without stretch)



012116



011116

Application: Metal flex for solar connect

Size: F3/4" x M3/4" (012116)
M3/4" x M3/4" (011116)

Material: AISI304 hose body, brass connector

Length: 30/40/50cm..... (fixed length)



012117



011117

Application: Metal flex for solar connect

Size: F1/2" x M1/2" (012117)
M1/2" x M1/2" (011117)

Material: AISI304 hose body, brass connector

Length: 30/40/50cm..... (fixed length)



01111A




01111B

Application: Double metal flex for solar connect

Size: M1/2" x M1/2", M3/4" x M3/4" (01111A)
M1/2" x M1/2", M3/4" x M3/4" (01111B)

Material: AISI304 hose body, brass connector

Length: 30/40/50cm.....30meters (fixed length)



FLEXIBLE GAS HOSE SERIES



102101



102201

Application: Gas flex with PE to connect geysers, cookers, boilers

Size: F1/2" x M1/2", F3/4" x M3/4", F1" x M1" (102101)
F1/2" x F1/2", F3/4" x F3/4", F1" x F1" (102201)

Material: AISI316L / AISI304 / AISI201 hose body, brass nickle nuts

Length: 75-150mm / 130-220mm.....1500 / 3000mm (with stretch)



012102



012202

Application: Gas flex without PE to connect geysers, cookers, boilers

Size: F1/2" x M1/2", F3/4" x M3/4", F1" x M1" (102102)
F1/2" x F1/2", F3/4" x F3/4", F1" x F1" (102202)

Material: AISI316L / AISI304 / AISI201 hose body, brass nickle nuts

Length: 75-150mm / 130-220mm.....1500 / 3000mm (with stretch)



102103



102203

Application: Gas flex without PE to connect geysers, cookers, boilers

Size: F1/2" x M1/2", F3/4" x M3/4", F1" x M1" (102103)
F1/2" x F1/2", F3/4" x F3/4", F1" x F1" (102203)

Material: AISI316L / AISI304 / AISI201 hose body, brass nickle nuts

Length: 75-130mm / 130-200mm.....1500 / 2500mm (with stretch)



102104



102204

Application: Gas flex without PE to connect geysers, cookers, boilers

Size: F1/2" x M1/2", F3/4" x M3/4" (102104)
F1/2" x F1/2", F3/4" x F3/4" (102204)

Material: AISI316L / AISI304 / AISI201 hose body, brass nickle nuts

Length: 75mm/130mm/220mm/300mm.....1500mm (without stretch)



102105



102205

Application: Gas flex with PE to connect geysers, cookers, boilers

Size: F3/4" x M1/2" (102105)
F3/4" x F3/4" (102205)

Material: AISI316L / AISI304 / AISI201 hose body, brass nickle nuts

Length: 75-150mm / 130-220mm.....1500 / 3000mm (with stretch)



102106



102206

Application: Gas flex without PE to connect geysers, cookers, boilers

Size: F1/2" x M1/2" (102106)
F1/2" x F1/2" (102206)

Material: AISI316L / AISI304 / AISI201 hose body, brass nickle nuts

Length: 75-150mm / 130-220mm.....1500 / 3000mm (with stretch)



102107



102207

Application: Gas flex with PE to connect geysers,cookers,boilers

Size: F1/2" x M1/2", F3/4" x M3/4", F1" x M1" (102107)
F1/2" x F1/2", F3/4" x F3/4", F1" x F1" (102207)

Material: AISI316L / AISI304 / AISI201 hose body, brass nickle nuts

Length: 75-130mm / 130-200mm.....1500 / 2500mm (with stretch)



102108



102208

Application: Gas flex with PE to,boilers

Size: F1/2" x M1/2", F3/4" x M3/4" (102108)
F1/2" x F1/2", F3/4" x F3/4" (102109)

Material: AISI316L / AISI304 / AISI201 hose body, brass nickle nuts

Length: 75-150mm / 130-220mm.....1500 / 3000mm (with stretch)



102109



102209

Application: Gas flex with PE to connect boilers

Size: F1/2" x M1/2", F3/4" x M3/4" (102109)
F1/2" x F1/2", F3/4" x F3/4" (102209)

Material: AISI316L / AISI304 / AISI201 hose body, brass nickle nuts

Length: 75-150mm / 130-220mm.....1500 / 3000mm (with stretch)



102110



102210

Application: Gas flex with PE to connect geysers,cookers,boilers

Size: F1/2" x M1/2" (102110)
F1/2" x F1/2" (102210)

Material: AISI316L / AISI304 / AISI201 hose body, brass nickle nuts

Length: 75mm/130mm/220mm/300mm.....1500mm (without stretch)



102111



102211

Application: Gas flex with PE to connect geysers,cookers,boilers

Size: F24*1.5 x M24*1.5 (102111)
F24*1.5 x F24 *1.5 (102201)

Material: AISI316L / AISI304 / AISI201 hose body, AISI304 nut

Length: 75mm/130mm/220mm/300mm.....1500mm (without stretch)



102112



102212

Application: Gas flex with PE to connect gas meter

Size: F30*2 x F3/4"-F1/2" (102112)
F30*2 x F3/4"-F1/2" elbow (102212)

Material: AISI316L / AISI304 / AISI201 hose body, brass nickle nuts

Length: 75mm/130mm/220mm/300mm.....1500mm (without stretch)



101113A



101113B

Application: Gas flex with PE to connect gas regulator

Size: M1" x M1", M1.1/4" x M1.1/4", M1.1/2 x M1.1/2" (101113A)
M1" x M1", M1.1/4" x M1.1/4", M1.1/2 x M1.1/2" (101113B)

Material: AISI304 hose body, AISI304 joint

Length: 150/300mm & 200-400mm (with stretch)



102114A



102114B

Application: Gas flex with PE to connect gas meter

Size: M3/4" x F1", M3/4" x F1.1/4", M1" x F1.1/4" (102114A)
M3/4" x F1", M3/4" x F1.1/4", M1" x F1.1/4" (102114B)

Material: AISI304 hose body, AISI 304 joint, brass nut

Length: 150/300mm & 200-400mm (with stretch)



102115A



102115B

Application: Gas flex with PE to connect gas meter

Size: M3/4" x F1", M3/4" x F1.1/4", M1" x F1.1/4" (102115A)
M3/4" x F1", M3/4" x F1.1/4", M1" x F1.1/4" (102115B)

Material: AISI304 hose body, AISI 304 joint, brass nut

Length: 150/300mm & 200-400mm (with stretch)



102116



102116

Application: Gas flex with PE for natural gas or propane gas

Size: M26*1.5-F1/2" x M26*1.5- NPT1/2" *NPT3/8" (102116)
M26*1.5-NPT1/2" *NPT3/8" x M26*1.5-NPT1/2" *NPT3/8" (102116)

Material: AISI304 hose body, brass connector

Length: 16" 24" 36" 42" 60" (fixed length)



102117



101117

Application: Gas flex with PE for natural gas or propane gas

Size: M26*1.5-F1/2" x M26*1.5- NPT1/2" *NPT3/8" (102117)
M26*1.5-NPT1/2" *NPT3/8" x M26*1.5-NPT1/2" *NPT3/8" (101117)

Material: AISI304 hose body, brass connector

Length: 16" 24" 36" 42" 60" (fixed length)



102118



101118

Application: Gas flex with PE for natural gas or propane gas

Size: M26*1.5-F3/4" x M26*1.5-M3/4" (102118)
M26*1.5-M3/4" x M26*1.5-M3/4" (101118)

Material: AISI304 hose body, brass connector

Length: 16" 24" 36" 42" 60" (fixed length)



102119



101119

Application: Gas flex with PE for natural gas or propane gas

Size: 26*1.5-F1/2" x 26*1.5-M1/2" (102119)
26*1.5-M1/2" x 26*1.5-M1/2" (101119)

Material: AISI304 hose body, brass connector

Length: 16" 24" 36" 42" 60" (fixed length)



102220

Application: Gas flex with plastic cover to connect gas water heater, regulator

Size: F1/2" X F1/2" X F1/2" X F1/2"

Material: AISI304 hose body, brass chrome nuts

Length: 30/40/50.....5000cm (fixed length)



102221

Application: Gas flex with plastic cover to gas cookers

Size: F1/2" X F1/2" X F1/2" X F1/2"

Material: AISI304 hose body, brass chrome nuts

Length: 30/40/50.....5000cm (fixed length)



102222

Application: Gas flex with cover for gas water heater connect

Size: F1/2" x F1/2", F3/4" x F3/4"

Material: AISI304 hose body, brass chrome nuts

Length: 30/40/50..... (fixed length)



102224



102124

Application: Metal flex with cover for water heater connect

Size: F1/2" x F1/2", F3/4" x F3/4"

Material: AISI304 hose body, brass chrome nuts

Length: 30/40/50..... (fixed length)



102225



102226

Application: Gas flex with cover to connect home water / gas

Size: 1/2", 3/4"

Material: AISI304 hose body,

Length: 20 meters/ 30meters/ 50meters



FLEXIBLE BRAIDED HOSE SERIES



202101A



202101B

Application: Gas flex for kitchen connect

Size: F1/2" x M1/2" (202101A)
F1/2" x M1/2" (202101B)

Material: AISI316L / AISI304 hose body, AISI304 nut

Length: 50/75/100/125cm.....(fixed length)



202202



202102

Application: Gas flex for kitchen connect

Size: F1/2" x M1/2" (202102A)
F1/2" x M1/2" (202102B)

Material: AISI316L / AISI304 hose body, brass nickle nut

Length: 50/75/100/125cm.....(fixed length)



202203



202103

Application: Gas flex for kitchen connect

Size: F1/2" x F1/2" (202203A)
F1/2" x M1/2" (202103B)

Material: AISI316L / AISI304 hose body, AISI304 nut

Length: 50/75/100/125cm.....(fixed length)



202204A



202204B

Application: Gas flex for kitchen connect

Size: F18*1 x F18*1(202204A)
F1/2" x F18*1(202204B)

Material: AISI316L / AISI304 hose body, brass chrome nut

Length:100/120/150cm.....(with stretch)



202205A



202205B

Application: Gas flex for kitchen connect

Size: F18*1 x F18*1(202205A)
F1/2" x F18*1(202205B)

Material: AISI316L / AISI304 hose body, brass chrome nut

Length:60/100/120/150cm.....(with stretch)



202226A



202226B

Application: Braided gas flex for kitchen connect(202226A)
PVC gas flex for kitchen connect (202226B)

Size: NPT 1/2" x 5/8" -18 UNF-3/8" NPT

Material: Rubber hose body, iron fittings (202226A)
PVC hose body, iron fittings (202226B)

Length: 60/100/120/150cm.....(fixed length)